

Zhejiang VOB Technology Co., Ltd.

BUS AIR T30 BRAKE CHAMBER



	FA1002E1	FA1002E2	FA1002F
	T30	T30	T30
STROKE:	64mm	64mm	64mm
PORT THREAD:	3/8	2-3/8	M16X1.5
BOLT THREAD:	M16X1.5	M16X1.5	M16X1.5

<i>BOLT CENTRE:</i>	<i>120.7</i>	<i>120.7</i>	<i>120.7</i>
<i>PUSH ROD THREAD:</i>	<i>M16x1.5</i>	<i>M16x1.5</i>	<i>M16x1.5</i>
<i>PUSH ROD LENGTH:</i>	<i>285MM</i>	<i>285MM</i>	<i>285MM</i>
<i>OEM NO.:</i>			

FABRICATED/CASTING T24 BRAKE CHAMBER



	<i>FA1008A1</i>	<i>FA1008A2</i>
--	-----------------	-----------------

	T24	T24
STROKE:	64mm	64mm
PORT THREAD:	2-M16x1.5	2-M16x1.5
BOLT THREAD:	M16x1.5	M16x1.5
BOLT CENTRE:	120.7	120.7
PUSH ROD THREAD:	M16x1.5	M16x1.5
PUSH ROD LENGTH:	285MM	285MM
OEM NO.:		

[LOW PRICE AND HIGH QUALITY T16-E BRAKE CHAMBER](#)



	FA1011E
	T16-E
STROKE:	64mm
PORT THREAD:	2-M16x1.5
BOLT THREAD:	M12x1.5
BOLT CENTRE:	76.2
PUSH ROD THREAD:	M16x1.5
PUSH ROD LENGTH:	285MM

OEM NO.:	4231049000
----------	------------

T30/30DD BRAKE CHAMBER



	FA1056A	FA1056B	FA1056C
	T30/30DD	T30/30DD	T30/30DD
STROKE:	64/64mm	64/64mm	64/64mm
PORT THREAD:	M16x1.5	3/8"NPT	3/8"NPT

BOLT THREAD:	<i>M16x1.5</i>	<i>M16x1.5</i>	<i>5/8"UNC</i>
BOLT CENTRE:	<i>120.7</i>	<i>120.7</i>	<i>120.7</i>
PUSH ROD THREAD:	<i>M16x1.5</i>	<i>M16x1.5</i>	<i>5/8"UNF</i>
PUSH ROD LENGTH:	<i>285MM</i>	<i>285MM</i>	<i>285MM</i>
OEM NO.:			